

## MICHIGAN'S SPECIAL PLANTS

Endangered, Threatened, Special Concern, and Probably Extirpated

This list presents the Endangered (E), Threatened (T), and Probably Extirpated (X) plant species of Michigan, which are protected under the Endangered Species Act of the State of Michigan (Part 365 of PA 451, 1994 Michigan Natural Resources and Environmental Protection Act). The current list became effective on April 9, 2009, after extensive review by technical advisors to the Michigan Department of Natural Resources and the citizenry of the state.

Also included in this list are plant species of Special Concern. While not afforded legal protection under the Act, many of these species are of concern because of declining or relict populations in the state. Should these species continue to decline, they would be recommended for Threatened or Endangered status. Protection of Special Concern species now, before they reach dangerously low population levels, would prevent the need to list them in the future by maintaining adequate numbers of self-sustaining populations within Michigan. Some other potentially rare species are listed as of Special Concern pending more precise information on their status in the state; when such information becomes available, they could be moved to threatened or endangered status or deleted from the list.



### Michigan Natural Features Inventory

P.O. Box 30444  
Lansing, MI  
48909-7944

Phone: (517) 373-1552  
Fax: (517) 373-6705

This list was produced by the Endangered Species Program of the Michigan Department of Natural Resources and the Michigan Natural Features Inventory. English names in common usage or from published sources have been incorporated, when possible, to promote public understanding of and participation in the Endangered Species Program. To comment on the list or request additional copies, or for information on the Endangered Species Program, contact the Endangered Species Coordinator, Wildlife Division, Michigan Department of Natural Resources, P.O. Box 30028, Lansing, MI 48909 (517-373-1263). To report occurrences of these species, contact the Michigan Natural Features Inventory, Mason Building, P.O. Box 30444, Lansing, MI 48909-7944 (517-373-1552).

*Michigan State University  
Extension programs and  
materials are open to all without  
regard to race, color, national  
origin, gender, religion, age,  
disability, political beliefs, sexual  
orientation, marital status, or  
family status*

*MSU is an affirmative-action,  
equal-opportunity institution.*

## LEGEND

### State Status

- E** Endangered
- T** Threatened
- SC** Special concern

### Federal Status

- LE** Listed endangered
- LT** Listed threatened
- LELT** Partly listed endangered and partly listed threatened
- PDL** Proposed delist
- E(S/A)** Endangered based on similarities/appearance
- PS** Partial status (federally listed in only part of its range)
- C** Species being considered for federal status

### Global Ranks

- G1** Critically imperiled globally because of extreme rarity (5 or fewer occurrences range-wide or very few remaining individuals or acres) or because of some factor(s) making it especially vulnerable to extinction.
- G2** Imperiled globally because of rarity (6 to 20 occurrences or few remaining individuals or acres) or because of some factor(s) making it very vulnerable to extinction throughout its range.
- G3** Either very rare and local throughout its range or found locally (even abundantly at some of its locations) in a restricted range (e.g. a single western state, a physiographic region in the East) or because of other factor(s) making it vulnerable to extinction throughout its range; in terms of occurrences, in the range of 21 to 100.
- G4** Apparently secure globally, though it may be quite rare in parts of its range, especially at the periphery.
- G5** Demonstrably secure globally, though it may be quite rare in parts of its range, especially at the periphery.
- GH** Of historical occurrence throughout its range, i.e. formerly part of the established biota, with the expectation that it may be rediscovered (e.g. Bachman's Warbler).
- GU** Possibly in peril range-wide, but status uncertain; need more information.
- GX** Believed to be extinct throughout its range (e.g. Passenger Pigeon) with virtually no likelihood that it will be rediscovered.

### State Ranks

- S1** Critically imperiled in the state because of extreme rarity (5 or fewer occurrences or very few remaining individuals or acres) or because of some factor(s) making it especially vulnerable to extirpation in the state.
- S2** Imperiled in state because of rarity (6 to 20 occurrences or few remaining individuals or acres) or because of some factor(s) making it very vulnerable to extirpation from the state.
- S3** Rare or uncommon in state (on the order of 21 to 100 occurrences).
- S4** Apparently secure in state, with many occurrences.
- S5** Demonstrably secure in state and essentially ineradicable under present conditions.
- SA** Accidental in state, including species (usually birds or butterflies) recorded once or twice or only at very great intervals, hundreds or even thousands of miles outside their usual range.
- SE** An exotic established in the state; may be native elsewhere in North America (e.g. house finch or catalpa in eastern states).
- SH** Of historical occurrence in state and suspected to be still extant.
- SN** Regularly occurring, usually migratory and typically nonbreeding species.
- SR** Reported from state, but without persuasive documentation which would provide a basis for either accepting or rejecting the report.
- SRF** Reported falsely (in error) from state but this error persisting in the literature.
- SU** Possibly in peril in state, but status uncertain; need more information.
- SX** Apparently extirpated from state.

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Adlumia fungosa</i> Climbing fumitory	Fumariaceae	SC		S3	G4
<i>Agalinis auriculata</i> ( <i>Tomanthera auriculata</i> ) Eared foxglove	Scrophulariaceae	X		SX	G3
<i>Agalinis gattingeri</i> Gattinger's gerardia	Scrophulariaceae	E		S1	G4
<i>Agalinis skinneriana</i> Skinner's gerardia	Scrophulariaceae	E		S1	G3G4
<i>Agoseris glauca</i> Prairie or pale agoseris	Asteraceae	T		S2	G5
<i>Agrimonia rostellata</i> Beaked agrimony	Rosaceae	T		S2	G5
<i>Allium schoenoprasum</i> ( <i>Allium schoenoprasum</i> var. <i>sibiricum</i> ) Chives	Liliaceae	T		S2	G5
<i>Amerorchis rotundifolia</i> ( <i>Orchis rotundifolia</i> ) Small round-leaved orchis	Orchidaceae	E		S1	G5
<i>Ammannia robusta</i>	Lythraceae	SC		SNR	G5
<i>Amorpha canescens</i> Leadplant	Fabaceae	SC		S3	G5
<i>Androsace occidentalis</i> Rock-jasmine	Primulaceae	E		SX	G5
<i>Angelica venenosa</i> Hairy angelica	Apiaceae	SC		S3	G5
<i>Antennaria rosea</i> Rosy pussytoes	Asteraceae	E		SX	G5
<i>Aristida dichotoma</i> Three-awned grass	Poaceae	X		SX	G5
<i>Aristida longespica</i> Three-awned grass	Poaceae	SC		S2	G5
<i>Aristida tuberculosa</i> Beach three-awned grass	Poaceae	E		S1	G5
<i>Arnica cordifolia</i> ( <i>Arnica whitneyi</i> ) Heart-leaved arnica	Asteraceae	E		S1	G5
<i>Arnica lonchophylla</i> Longleaf arnica	Asteraceae	E		S1	G5
<i>Arnoglossum plantagineum</i> ( <i>Cacalia plantaginea</i> ) Prairie indian-plantain	Asteraceae	SC		S3	G4G5
<i>Artemisia ludoviciana</i> Western mugwort	Asteraceae	T		S1	G5
<i>Asclepias hirtella</i> Tall green milkweed	Asclepiadaceae	T		S2	G5

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Asclepias ovalifolia</i> Dwarf milkweed	Asclepiadaceae	E		S1	G5?
<i>Asclepias purpurascens</i> Purple milkweed	Asclepiadaceae	T		S2	G5?
<i>Asclepias sullivantii</i> Sullivant's milkweed	Asclepiadaceae	T		S2	G5
<i>Asplenium rhizophyllum</i> ( <i>Camptosorus rhizophyllum</i> ) Walking fern	Aspleniaceae	T		S2S3	G5
<i>Asplenium ruta-muraria</i> Wall-rue	Aspleniaceae	E		S1	G5
<i>Asplenium scolopendrium</i> var. <i>americanum</i> ( <i>Phyllitis scolopendrium</i> var. <i>americana</i> ) Hart's-tongue fern	Aspleniaceae	E	LT	S1	G4T3
<i>Asplenium viride</i> ( <i>Asplenium</i> <i>trichomanes-ramosum</i> ) Green spleenwort	Aspleniaceae	SC		S3	G4
<i>Astragalus canadensis</i> Canadian milk vetch	Fabaceae	T		S1S2	G5
<i>Astragalus neglectus</i> Cooper's milk vetch	Fabaceae	SC		S3	G4
<i>Baptisia lactea</i> ( <i>Baptisia leucantha</i> ) White or prairie false indigo	Fabaceae	SC		S3	G4Q
<i>Baptisia leucophaea</i> Cream wild indigo	Fabaceae	E		S1	G4G5T4T5
<i>Barbarea orthoceras</i> Northern Winter Cress	Brassicaceae	SC		SNR	G5
<i>Bartonia paniculata</i> Panicked screwstem	Gentianaceae	T		S2	G5
<i>Beckmannia syzigachne</i> Slough grass	Poaceae	T		S2	G5
<i>Berula erecta</i> ( <i>Berula pusilla</i> ) Cut-leaved water parsnip	Apiaceae	SC		S2	G4G5
<i>Besseyia bullii</i> Kitten-tails	Scrophulariaceae	E		S1	G3
<i>Betula murrayana</i> Murray birch	Betulaceae	SC		S1	G1Q
<i>Betula populifolia</i> Gray birch	Betulaceae	SC		S3	G5
<i>Bistorta vivipara</i> ( <i>Polygonum viviparum</i> ) Alpine bistort	Polygonaceae	T		S1S2	G5
<i>Boechera dentata</i> ( <i>Arabis perstellata</i> ) Rock cress	Brassicaceae	T		S1	G5

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Boecheira missouriensis</i> ( <i>Arabis missouriensis</i> var. <i>deamii</i> ) Missouri rock-cress	Brassicaceae	SC		S2	G5T3?Q
<i>Botrychium acuminatum</i> Moonwort	Ophioglossaceae	E		S1	G1
<i>Botrychium campestre</i> Prairie Moonwort or Dunewort	Ophioglossaceae	T		S2	G3G4
<i>Botrychium hesperium</i> Western moonwort	Ophioglossaceae	T		S2	G4
<i>Botrychium mormo</i> Goblin moonwort	Ophioglossaceae	T		S2	G3
<i>Botrychium pallidum</i> pale moonwort	Ophioglossaceae	SC		S3	G3
<i>Botrychium spathulatum</i> Spatulate moonwort	Ophioglossaceae	T		S2	G3
<i>Bouteloua curtipendula</i> Side-oats grama grass	Poaceae	E		S1	G5
<i>Braya humilis</i> Low northern rock cress	Brassicaceae	T		SX	G5
<i>Brickellia eupatorioides</i> ( <i>Kuhnia eupatorioides</i> ) False boneset	Asteraceae	SC		S2	G5
<i>Bromus pumpellianus</i> Pumpelly's bromegrass	Poaceae	T		S2	G5T4
<i>Buchnera americana</i> Bluehearts	Scrophulariaceae	X		SX	G5?
<i>Calamagrostis lacustris</i> Northern reedgrass	Poaceae	SC		S1	G3Q
<i>Calamagrostis stricta</i> ssp. <i>stricta</i> ( <i>Calamagrostis stricta</i> ) Narrow-leaved reedgrass	Poaceae	T		S1	G5T5
<i>Callitriche hermaphroditica</i> Autumnal water-starwort	Callitrichaceae	SC		S2	G5
<i>Callitriche heterophylla</i> Large water starwort	Callitrichaceae	T		S1	G5
<i>Caltha natans</i> Floating marsh marigold	Ranunculaceae	T		SNR	G5
<i>Calypso bulbosa</i> Calypso or fairy-slipper	Orchidaceae	T		S2	G5
<i>Camassia scilloides</i> Wild hyacinth	Liliaceae	T		S2	G4G5
<i>Canadanthus modestus</i> ( <i>Aster modestus</i> ) Great northern aster	Asteraceae	T		S1	G5
<i>Cardamine maxima</i> ( <i>Dentaria maxima</i> ) Large toothwort	Brassicaceae	T		S1S2	G5

<b>Species</b>	<b>Family</b>	<b>State Status</b>	<b>US Status</b>	<b>State Rank</b>	<b>Global Rank</b>
<i>Carex albolutescens</i> Sedge	Cyperaceae	T		S2	G5
<i>Carex amphibola</i> Sedge	Cyperaceae	SC		SNR	G5
<i>Carex assiniboinensis</i> Assiniboia sedge	Cyperaceae	T		S2	G4G5
<i>Carex atratiformis</i> Sedge	Cyperaceae	T		S2	G5
<i>Carex billingsii</i> Three-seed sedge	Cyperaceae	SC		SNR	G5T4
<i>Carex conjuncta</i> Sedge	Cyperaceae	T		S1	G4G5
<i>Carex crus-corvi</i> Raven's-foot sedge	Cyperaceae	E		S1	G5
<i>Carex davisii</i> Davis's sedge	Cyperaceae	SC		S3	G4
<i>Carex decomposita</i> Log sedge	Cyperaceae	X		SX	G3G4
<i>Carex festucacea</i> Fescue sedge	Cyperaceae	SC		S1	G5
<i>Carex gravida</i> Sedge	Cyperaceae	X		SX	G5
<i>Carex haydenii</i> Hayden's sedge	Cyperaceae	X		SX	G5
<i>Carex heleonastes</i> Hudson Bay sedge	Cyperaceae	E		S1	G4
<i>Carex inops</i> ssp. <i>heliophila</i> Sun sedge	Cyperaceae	SC		S3	G5T5
<i>Carex lupuliformis</i> False hop sedge	Cyperaceae	T		S2	G4
<i>Carex media</i> Sedge	Cyperaceae	T		S2S3	G5T5
<i>Carex nigra</i> Black sedge	Cyperaceae	E		S1	G5
<i>Carex novae-angliae</i> New England sedge	Cyperaceae	T		S1	G5
<i>Carex oligocarpa</i> Eastern few-fruited sedge	Cyperaceae	T		S2	G4G5
<i>Carex platyphylla</i> Broad-leaved sedge	Cyperaceae	E		S1	G5
<i>Carex praticola</i> Sedge	Cyperaceae	X		SX	G5
<i>Carex richardsonii</i> Richardson's sedge	Cyperaceae	SC		S3S4	G5
<i>Carex rossii</i> Ross's sedge	Cyperaceae	T		S2	G5

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Carex scirpoidea</i> Bulrush sedge	Cyperaceae	T		S2	G5
<i>Carex seorsa</i> Sedge	Cyperaceae	T		S2	G5
<i>Carex squarrosa</i> Sedge	Cyperaceae	SC		S1	G4G5
<i>Carex straminea</i> Straw sedge	Cyperaceae	E		SH	G5
<i>Carex tinctoria</i> Sedge	Cyperaceae	T		S1	G4G5
<i>Carex trichocarpa</i> Hairy-fruited sedge	Cyperaceae	SC		S2	G4
<i>Carex typhina</i> Cattail sedge	Cyperaceae	T		S1	G5
<i>Carex wiegandii</i> Wiegand's sedge	Cyperaceae	SC		S3	G4
<i>Castanea dentata</i> American chestnut	Fagaceae	E		S1S2	G4
<i>Castilleja septentrionalis</i> Pale Indian paintbrush	Scrophulariaceae	T		S2S3	G5
<i>Ceanothus sanguineus</i> Wild lilac	Rhamnaceae	T		S2	G5
<i>Cerastium brachypodium</i> Shortstalk chickweed	Caryophyllaceae	T		S2	G5
<i>Cerastium velutinum</i> Field Chickweed	Caryophyllaceae	X		SX	G5T4?
<i>Chamaerhodos nuttallii</i> var. <i>keweenawensis</i> ( <i>Chamaerhodos erecta</i> ) Rock-rose	Rosaceae	E		S1	G5T1Q
<i>Chasmanthium latifolium</i> ( <i>Uniola latifolia</i> ) Wild oats	Poaceae	E		S1	G5
<i>Chelone obliqua</i> Purple turtlehead	Scrophulariaceae	E		S1	G4
<i>Chenopodium berlandieri</i> Pit-seed goosefoot	Chenopodiaceae	SC		SNR	G5
<i>Chenopodium standleyanum</i> Woodland goosefoot	Chenopodiaceae	SC		SNR	G5
<i>Cirsium hillii</i> ( <i>Cirsium pumilum</i> var. <i>hillii</i> ) Hill's thistle	Asteraceae	SC		S3	G3
<i>Cirsium pitcheri</i> Pitcher's thistle	Asteraceae	T	LT	S3	G2G3
<i>Clematis occidentalis</i> Purple clematis	Ranunculaceae	SC		S3	G5

<b>Species</b>	<b>Family</b>	<b>State Status</b>	<b>US Status</b>	<b>State Rank</b>	<b>Global Rank</b>
<i>Collinsia parviflora</i> Small blue-eyed Mary	Scrophulariaceae	SC		S2	G5
<i>Collinsia verna</i> Blue-eyed Mary	Scrophulariaceae	SC		SNR	G5
<i>Commelina erecta</i> Slender dayflower	Commelinaceae	X		SX	G5
<i>Conioselinum chinense</i> Hemlock-parsley	Apiaceae	SC		SNR	G5
<i>Coptidium lapponicum</i> ( <i>Ranunculus lapponicus</i> ) Lapland buttercup	Ranunculaceae	T		S1S2	G5
<i>Coreopsis palmata</i> Prairie coreopsis	Asteraceae	T		S2	G5
<i>Corispermum americanum</i> American bugseed	Chenopodiaceae	SC		SNR	G5?
<i>Corispermum pallasii</i> Pallas' bugseed	Chenopodiaceae	SC		SNR	G4?
<i>Corydalis flavula</i> Yellow fumewort	Fumariaceae	T		S2	G5
<i>Crataegus douglasii</i> Douglas's hawthorn	Rosaceae	SC		S3S4	G5
<i>Cryptogramma acrostichoides</i> American rock-brake	Pteridaceae	T		S2	G5
<i>Cuscuta campestris</i> Field dodder	Cuscutaceae	SC		S1	G5
<i>Cuscuta glomerata</i> Rope dodder	Cuscutaceae	SC		SH	G5
<i>Cuscuta indecora</i> Dodder	Cuscutaceae	SC		SH	G5
<i>Cuscuta pentagona</i> Dodder	Cuscutaceae	SC		SH	G4G5
<i>Cuscuta polygonorum</i> Knotweed dodder	Cuscutaceae	SC		S2	G5
<i>Cyperus acuminatus</i> Cyperus, Nut grass	Cyperaceae	X		SX	G5
<i>Cypripedium arietinum</i> Ram's head lady's-slipper	Orchidaceae	SC		S3	G3
<i>Cypripedium candidum</i> White lady slipper	Orchidaceae	T		S2	G4
<i>Cystopteris laurentiana</i> Laurentian fragile fern	Dryopteridaceae	SC		S1S2	G3
<i>Cystopteris tennesseensis</i> Tennessee bladder fern	Dryopteridaceae	T		S2	G5
<i>Dalea purpurea</i> ( <i>Petalostemum purpureum</i> ) Purple prairie clover	Fabaceae	X		SX	G5



Species	Family	State Status	US Status	State Rank	Global Rank
<i>Dalibarda repens</i> False violet	Rosaceae	T		S1S2	G5
<i>Danthonia intermedia</i> Wild oat grass	Poaceae	SC		S1S2	G5
<i>Dasistoma macrophylla</i> ( <i>Seymeria macrophylla</i> ) Mullein-foxtail	Scrophulariaceae	E		S1	G4
<i>Dennstaedtia punctilobula</i> Hay-scented fern	Dennstaedtiaceae	T		S1	G5
<i>Diarrhena obovata</i> ( <i>Diarrhena americana</i> ) Beak grass	Poaceae	SC		S2	G4G5
<i>Dichanthelium leibergii</i> ( <i>Panicum leibergii</i> ) Leiberg's panic grass	Poaceae	T		S2	G4
<i>Dichanthelium microcarpon</i> ( <i>Panicum microcarpon</i> ) Small-fruited panic-grass	Poaceae	SC		SX	GNR
<i>Dichanthelium polyanthes</i> ( <i>Panicum polyanthes</i> ) Round-seed panic-grass	Poaceae	E		S1	G5
<i>Digitaria filiformis</i> Slender finger grass	Poaceae	X		SX	G5
<i>Diphasiastrum alpinum</i> ( <i>Lycopodium alpinum</i> ) Alpine clubmoss	Lycopodiaceae	X		SX	G5
<i>Draba arabisans</i> Rock whitlow grass	Brassicaceae	SC		S3	G4
<i>Draba cana</i> Ashy whitlow grass	Brassicaceae	T		S1	G5
<i>Draba glabella</i> Smooth whitlow grass	Brassicaceae	E		S1	G5
<i>Draba incana</i> Twisted whitlow grass	Brassicaceae	T		S1	G5
<i>Draba reptans</i> Creeping whitlow grass	Brassicaceae	T		S1	G5
<i>Drosera anglica</i> ( <i>Drosera Xanglica</i> ) English sundew	Droseraceae	SC		S3	G5
<i>Dryopteris celsa</i> Small log fern	Dryopteridaceae	T		S2	G4
<i>Dryopteris filix-mas</i> Male fern	Dryopteridaceae	SC		S3	G5
<i>Dryopteris fragrans</i> Fragrant cliff woodfern	Dryopteridaceae	SC		S3	G5
<i>Echinacea purpurea</i> Purple coneflower	Asteraceae	X		SX	G4

<b>Species</b>	<b>Family</b>	<b>State Status</b>	<b>US Status</b>	<b>State Rank</b>	<b>Global Rank</b>
<i>Echinodorus tenellus</i> ( <i>Echinodorus parvulus</i> ) Dwarf burhead	Alismataceae	E		S1	G5?
<i>Eleocharis atropurpurea</i> Purple spike rush	Cyperaceae	E		S1	G4G5
<i>Eleocharis compressa</i> Flattened spike rush	Cyperaceae	T		S2	G4
<i>Eleocharis engelmannii</i> Engelmann's spike rush	Cyperaceae	SC		S2S3	G4G5
<i>Eleocharis equisetoides</i> Horsetail spike rush	Cyperaceae	SC		S3	G4
<i>Eleocharis geniculata</i> Spike-rush	Cyperaceae	X		SX	G5
<i>Eleocharis melanocarpa</i> Black-fruited spike-rush	Cyperaceae	SC		S3	G4
<i>Eleocharis microcarpa</i> Small-fruited spike-rush	Cyperaceae	E		S1	G5
<i>Eleocharis nitida</i> Slender spike rush	Cyperaceae	E		S1	G4
<i>Eleocharis parvula</i> Dwarf spike-rush	Cyperaceae	E		S1	G5
<i>Eleocharis radicans</i> Spike rush	Cyperaceae	X		S1	G5
<i>Eleocharis tricostata</i> Three-ribbed spike rush	Cyperaceae	T		S2	G4
<i>Elymus glaucus</i> Blue wild-rye	Poaceae	SC		S3	G5
<i>Empetrum nigrum</i> Black crowberry	Empetraceae	T		S2	G5
<i>Endodeca serpentaria</i> ( <i>Aristolochia serpentaria</i> ) Virginia snakeroot	Aristolochiaceae	T		S2	G4
<i>Equisetum telmateia</i> Giant horsetail	Equisetaceae	X		SX	G5
<i>Eragrostis capillaris</i> Love grass	Poaceae	SC		SH	G5
<i>Erigeron acris</i> Fleabane	Asteraceae	T		S1S2	G5
<i>Erigeron hyssopifolius</i> Hyssop-leaved fleabane	Asteraceae	T		S1	G5
<i>Eryngium yuccifolium</i> Rattlesnake-master or button snakeroot	Apiaceae	T		S2	G5
<i>Euonymus atropurpureus</i> ( <i>Euonymus atropurpurea</i> ) Wahoo	Celastraceae	SC		S3	G5
<i>Eupatorium sessilifolium</i> Upland boneset	Asteraceae	T		S1	G5

<b>Species</b>	<b>Family</b>	<b>State Status</b>	<b>US Status</b>	<b>State Rank</b>	<b>Global Rank</b>
<i>Euphorbia commutata</i> Tinted spurge	Euphorbiaceae	T		S1	G5
<i>Euphrasia hudsoniana</i> Eyebright	Scrophulariaceae	T		S1	G5?
<i>Euphrasia nemorosa</i> ( <i>Euphrasia arctica</i> ) Eyebright	Scrophulariaceae	T		S1	G5
<i>Eurybia furcata</i> ( <i>Aster furcatus</i> ) Forked aster	Asteraceae	T		S1	G3
<i>Eutrochium fistulosum</i> ( <i>Eupatorium fistulosum</i> ) Hollow-stemmed Joe-pye weed	Asteraceae	T		S1	G5?
<i>Festuca altaica</i> ( <i>Festuca scabrella</i> ) Rough fescue	Poaceae	SC		S2S3	G5
<i>Filipendula rubra</i> Queen-of-the-prairie	Rosaceae	T		S2	G4G5
<i>Fimbristylis puberula</i> Chestnut sedge	Cyperaceae	X		SX	G5
<i>Fraxinus profunda</i> ( <i>Fraxinus tomentosa</i> ) Pumpkin ash	Oleaceae	T		S2	G4
<i>Fuirena pumila</i> Umbrella-grass	Cyperaceae	T		S2	G4
<i>Galearis spectabilis</i> ( <i>Orchis spectabilis</i> ) Showy orchis	Orchidaceae	T		S2	G5
<i>Galium kamtschaticum</i> Bedstraw	Rubiaceae	E		S1	G5
<i>Gentiana alba</i> ( <i>Gentiana flavida</i> ) White gentian	Gentianaceae	E		S1	G4
<i>Gentiana linearis</i> Narrow-leaved gentian	Gentianaceae	T		S2	G4G5
<i>Gentiana puberulenta</i> ( <i>Gentiana puberula</i> ) Downy gentian	Gentianaceae	E		S1	G4G5
<i>Gentiana saponaria</i> Soapwort gentian	Gentianaceae	X		SX	G5
<i>Gentianella quinquefolia</i> Stiff gentian	Gentianaceae	T		S2	G5
<i>Geum triflorum</i> Prairie smoke	Rosaceae	T		S2S3	G5
<i>Geum virginianum</i> Pale avens	Rosaceae	SC		S1S2	G5
<i>Gillenia trifoliata</i> ( <i>Porteranthus trifoliatus</i> ) Bowman's root	Rosaceae	E		SX	G4G5

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Glyceria acutiflora</i> Manna grass	Poaceae	X		S1	G5
<i>Glyceria melicaria</i> Slender manna grass	Poaceae	T		S1	G5
<i>Grappheporum melicoides</i> ( <i>Trisetum melicoides</i> ) Purple false oats	Poaceae	SC		SNR	G4
<i>Gratiola aurea</i> ( <i>Gratiola lutea</i> ) Hedge-hyssop	Scrophulariaceae	T		S1S2	G5
<i>Gratiola virginiana</i> Annual hedge hyssop	Scrophulariaceae	T		S1	G5
<i>Gymnocarpium jessoense</i> Northern oak fern	Dryopteridaceae	E		S1	G5
<i>Gymnocarpium robertianum</i> Limestone oak fern	Dryopteridaceae	T		S2	G5
<i>Hedysarum alpinum</i> Alpine sainfoin	Fabaceae	E		S1	G5
<i>Helianthus hirsutus</i> Whiskered sunflower	Asteraceae	SC		S3	G5
<i>Helianthus microcephalus</i> Small wood sunflower	Asteraceae	X		SX	G5
<i>Helianthus mollis</i> Downy sunflower	Asteraceae	T		S2	G4G5
<i>Hibiscus laevis</i> ( <i>Hibiscus militaris</i> ) Smooth rose-mallow	Malvaceae	X		SX	G5
<i>Hieracium paniculatum</i> Panicked hawkweed	Asteraceae	T		S2	G5
<i>Houstonia caerulea</i> Azure bluet	Rubiaceae	X		SX	G5
<i>Huperzia appalachiana</i> Mountain fir-moss	Lycopodiaceae	SC		S2	G5
<i>Huperzia selago</i> ( <i>Lycopodium selago</i> ) Fir clubmoss	Lycopodiaceae	SC		S3	G5
<i>Hybanthus concolor</i> Green violet	Violaceae	SC		S3	G5
<i>Hydrastis canadensis</i> Goldenseal	Ranunculaceae	T		S2	G3G4
<i>Hypericum adpressum</i> Creeping St. John's-wort	Clusiaceae	T		S1	G3
<i>Hypericum gentianoides</i> Gentian-leaved St. John's-wort	Clusiaceae	SC		S3	G5
<i>Hypericum sphaerocarpum</i> Round-fruited St. John's-wort	Clusiaceae	E		S1	G5

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Ipomoea pandurata</i> Wild potato vine or man-of-the-earth	Convolvulaceae	T		S2	G5
<i>Iris lacustris</i> Dwarf lake iris	Iridaceae	T	LT	S3	G3
<i>Isoetes engelmannii</i> Engelmann's quilwort	Isoetaceae	E		S1	G4
<i>Isotria medeoloides</i> Smaller whorled pogonia	Orchidaceae	X	LT	SX	G2?
<i>Isotria verticillata</i> Whorled pogonia	Orchidaceae	T		S2	G5
<i>Jeffersonia diphylla</i> Twinleaf	Berberidaceae	SC		S3	G5
<i>Juncus antheratus</i> Large path rush	Juncaceae	SC		SNR	G5TNR
<i>Juncus brachycarpus</i> Short-fruited rush	Juncaceae	T		S1S2	G4G5
<i>Juncus dichotomus</i> Forked rush	Juncaceae	SC		SNR	G5
<i>Juncus militaris</i> Bayonet rush	Juncaceae	T		S1	G4
<i>Juncus scirpoides</i> Scirpus-like rush	Juncaceae	T		S2	G5
<i>Juncus stygius</i> Moor rush	Juncaceae	T		S1S2	G5
<i>Juncus vaseyi</i> Vasey's rush	Juncaceae	T		S1S2	G5
<i>Justicia americana</i> Water willow	Acanthaceae	T		S2	G5
<i>Lactuca floridana</i> Woodland lettuce	Asteraceae	T		S2	G5
<i>Lechea minor</i> Least pinweed	Cistaceae	X		S1	G5
<i>Lechea pulchella</i> ( <i>Lechea leggettii</i> ) Leggett's pinweed	Cistaceae	T		S1S2	G5
<i>Lechea stricta</i> Erect pinweed	Cistaceae	SC		SX	G4?
<i>Lemna valdiviana</i> Pale duckweed	Lemnaceae	X		SX	G5
<i>Lespedeza procumbens</i> Trailing bush clover	Fabaceae	X		SX	G5
<i>Leucospora multifida</i> ( <i>Conobea multifida</i> ) Conobea	Scrophulariaceae	SC		SNR	G5
<i>Leymus mollis</i> ( <i>Elymus mollis</i> ) American dune wild-rye	Poaceae	SC		S3	G5

<b>Species</b>	<b>Family</b>	<b>State Status</b>	<b>US Status</b>	<b>State Rank</b>	<b>Global Rank</b>
<i>Liatris punctata</i> Dotted blazing star	Asteraceae	X		SX	G5
<i>Liatris squarrosa</i> Plains blazing star	Asteraceae	X		SX	G5
<i>Linum sulcatum</i> Furrowed flax	Linaceae	SC		S2S3	G5
<i>Linum virginianum</i> Virginia flax	Linaceae	T		S2	G4G5
<i>Lipocarpa micrantha</i> ( <i>Hemicarpha micrantha</i> ) Dwarf-bulrush	Cyperaceae	SC		S3	G5
<i>Lithospermum incisum</i> Narrow-leaved puccoon	Boraginaceae	X		SX	G5
<i>Lithospermum latifolium</i> Broad-leaved puccoon	Boraginaceae	SC		S2	G4
<i>Lithospermum molle</i> ( <i>Onosmodium molle</i> ) Marbleweed	Boraginaceae	X		SX	G4G5
<i>Littorella uniflora</i> ( <i>Littorella uniflora</i> var. <i>americana</i> ) American shore-grass	Plantaginaceae	SC		S2S3	G5
<i>Lonicera involucrata</i> Black twinberry	Caprifoliaceae	T		S2	G5T4T5
<i>Ludwigia sphaerocarpa</i> Globe-fruited seedbox	Onagraceae	T		S1	G5
<i>Luzula parviflora</i> Small-flowered wood rush	Juncaceae	T		S1	G5
<i>Lycopodiella margueritae</i> ( <i>Lycopodiella appressa</i> ) Northern prostrate clubmoss	Lycopodiaceae	T		S2	G1G2
<i>Lycopodiella subappressa</i> ( <i>Lycopodiella appressa</i> ) Northern appressed clubmoss	Lycopodiaceae	SC		S2	G2
<i>Lycopus virginicus</i> Virginia water-horehound	Lamiaceae	T		S2	G5
<i>Lygodium palmatum</i> Climbing fern	Lygodiaceae	E		S1	G4
<i>Lysimachia hybrida</i> Swamp candles	Primulaceae	X		SX	G5
<i>Malus ioensis</i> Prairie Crab	Rosaceae	SC		SX	G4G5
<i>Mertensia paniculata</i> Northern Bluebell	Boraginaceae	SC		SNR	G5
<i>Mertensia virginica</i> Virginia bluebells	Boraginaceae	E		S1S2	G5
<i>Mikania scandens</i> Mikania	Asteraceae	T		S1	G5

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Mimulus alatus</i> Winged monkey flower	Scrophulariaceae	X		S1	G5
<i>Mimulus guttatus</i> Western monkey flower	Scrophulariaceae	SC		S1	G5
<i>Mimulus michiganensis</i> ( <i>Mimulus glabratus</i> var. <i>michiganensis</i> ) Michigan monkey flower	Scrophulariaceae	E	LE	S1	G5T1
<i>Moehringia macrophylla</i> ( <i>Arenaria macrophylla</i> ) Big-leaf sandwort	Caryophyllaceae	T		S1	G5
<i>Morus rubra</i> Red mulberry	Moraceae	T		S2	G5
<i>Muhlenbergia cuspidata</i> Plains muhly	Poaceae	X		SX	G5
<i>Muhlenbergia richardsonis</i> Mat muhly	Poaceae	T		S2	G5
<i>Mulgedium pulchellum</i> ( <i>Lactuca pulchella</i> ) Blue lettuce	Asteraceae	X		SX	G5T5
<i>Myrica pensylvanica</i> Northern bayberry	Myricaceae	T		S2	G5
<i>Myriophyllum alterniflorum</i> Alternate-leaved water-milfoil	Haloragaceae	SC		S2S3	G5
<i>Myriophyllum farwellii</i> Farwell's water milfoil	Haloragaceae	SC		S2	G5
<i>Nelumbo lutea</i> ( <i>Nelumbo pentapetala</i> ) American lotus	Nelumbonaceae	SC		S2	G4
<i>Neottia auriculata</i> ( <i>Listera auriculata</i> ) Auricled twayblade	Orchidaceae	SC		S2S3	G3G4
<i>Nuphar microphylla</i> ( <i>Nuphar pumila</i> ) Small yellow pond lily	Nymphaeaceae	E		S1S2	G5T4T5
<i>Nymphaea leibergii</i> ( <i>Nymphaea tetragona</i> ) Pygmy water lily	Nymphaeaceae	E		S1	G5
<i>Omalotheca sylvatica</i> ( <i>Gnaphalium sylvaticum</i> ) Woodland everlasting	Asteraceae	T		S1	G4
<i>Ophioglossum vulgatum</i> ( <i>Ophioglossum pycnostichum</i> ) Southeastern adder's-tongue	Ophioglossaceae	E		S1	G5
<i>Oplopanax horridus</i> Devil's club	Araliaceae	T		S2	G5
<i>Opuntia fragilis</i> Fragile prickly pear	Cactaceae	E		S1	G5
<i>Orobanche fasciculata</i> Broomrape	Orobanchaceae	T		S2	G4G5

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Osmorhiza depauperata</i> ( <i>Osmorhiza obtusa</i> ) Sweet Cicely	Apiaceae	T		S2	G5
<i>Oxalis violacea</i> Violet wood sorrel	Oxalidaceae	X		SX	G5
<i>Packera indecora</i> ( <i>Senecio indecorus</i> ) Northern ragwort	Asteraceae	T		S1	G5
<i>Panax quinquefolius</i> Ginseng	Araliaceae	T		S2S3	G3G4
<i>Panicum longifolium</i> ( <i>Panicum rigidulum</i> var. <i>pubescens</i> ) Panic grass	Poaceae	T		S2	G4
<i>Panicum philadelphicum</i> Philadelphia panic-grass	Poaceae	T		S2	G5?
<i>Panicum verrucosum</i> Warty panic grass	Poaceae	T		S1	G4
<i>Parnassia palustris</i> Marsh grass-of-parnassus	Saxifragaceae	T		S2	G5
<i>Paronychia fastigiata</i> Low-forked chickweed	Caryophyllaceae	X		SX	G5
<i>Pellaea atropurpurea</i> Purple cliff brake	Pteridaceae	T		S2	G5
<i>Penstemon calycosus</i> Beard tongue	Scrophulariaceae	T		S2	G5
<i>Penstemon gracilis</i> Slender beard tongue	Scrophulariaceae	E		S1	G5
<i>Penstemon pallidus</i> Pale beard tongue	Scrophulariaceae	SC		SX	G5
<i>Persicaria careyi</i> ( <i>Polygonum careyi</i> ) Carey's smartweed	Polygonaceae	T		S1S2	G4
<i>Petasites sagittatus</i> ( <i>Petasites frigidus</i> var. <i>sagittatus</i> ) Sweet coltsfoot	Asteraceae	T		S1S2	G5
<i>Phacelia franklinii</i> Franklin's phacelia	Hydrophyllaceae	T		S1	G5
<i>Phaseolus polystachios</i> Wild bean	Fabaceae	X		SX	G5
<i>Phleum alpinum</i> Mountain timothy	Poaceae	X		SX	G5
<i>Phlox bifida</i> Cleft phlox	Polemoniaceae	X		SX	G5?
<i>Phlox maculata</i> Wild sweet William	Polemoniaceae	T		S1	G5



Species	Family	State Status	US Status	State Rank	Global Rank
<i>Phlox ovata</i> ( <i>Phlox latifolia</i> ) Widflower phlox	Polemoniaceae	E		S1	G4
<i>Pinguicula vulgaris</i> Butterwort	Lentibulariaceae	SC		S3	G5
<i>Piptatherum canadense</i> ( <i>Oryzopsis canadensis</i> ) Canada rice grass	Poaceae	T		S2	G4G5
<i>Plantago cordata</i> Heart-leaved plantain	Plantaginaceae	E		S1	G4
<i>Platanthera ciliaris</i> ( <i>Habenaria ciliaris</i> ) Orange- or yellow-fringed orchid	Orchidaceae	E		S1S2	G5
<i>Platanthera leucophaea</i> ( <i>Habenaria leucophaea</i> ) Prairie white-fringed orchid	Orchidaceae	E	LT	S1	G2G3
<i>Platanthera unalascensis</i> ( <i>Piperia unalascensis</i> ) Alaska orchid	Orchidaceae	SC		S2S3	G5
<i>Poa alpina</i> Alpine bluegrass	Poaceae	T		S1S2	G5
<i>Poa autumnalis</i> Bluegrass	Poaceae	SC		SX	G5
<i>Poa interior</i> ( <i>Poa nemoralis</i> ssp. <i>interior</i> ) Inland bluegrass	Poaceae	SC		SNR	G5T5
<i>Poa paludigena</i> Bog bluegrass	Poaceae	T		S2	G3
<i>Poa secunda</i> ( <i>Poa canbyi</i> ) Canby's bluegrass	Poaceae	E		S1	G5
<i>Polemonium reptans</i> Jacob's ladder	Polemoniaceae	T		S2	G5
<i>Polygala cruciata</i> Cross-leaved milkwort	Polygalaceae	SC		S3	G5
<i>Polygala incarnata</i> Pink milkwort	Polygalaceae	X		SX	G5
<i>Polytaenia nuttallii</i> Prairie parsley	Apiaceae	X		SX	G5
<i>Populus heterophylla</i> Swamp or Black cottonwood	Salicaceae	E		S1	G5
<i>Potamogeton bicupulatus</i> ( <i>Potamogeton capillaceus</i> ) Waterthread pondweed	Potamogetonaceae	T		S2	G4
<i>Potamogeton confervoides</i> Alga pondweed	Potamogetonaceae	SC		S3	G4
<i>Potamogeton hillii</i> Hill's pondweed	Potamogetonaceae	T		S2	G3

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Potamogeton pulcher</i> Spotted pondweed	Potamogetonaceae	E		S1	G5
<i>Potamogeton vaseyi</i> Vasey's pondweed	Potamogetonaceae	T		S1S2	G4
<i>Potentilla canadensis</i> Canada cinquefoil	Rosaceae	SC		SNR	G5
<i>Potentilla litoralis</i> ( <i>Potentilla pensylvanica</i> ) Prairie cinquefoil	Rosaceae	T		S1	G5T5
<i>Potentilla supina</i> Sand cinquefoil	Rosaceae	T		SU	G5
<i>Prenanthes crepidinea</i> Nodding rattlesnake-root	Asteraceae	T		SNR	G4
<i>Primula meadia</i> ( <i>Dodecatheon meadia</i> ) Shooting star	Primulaceae	E		S1	G5
<i>Prosartes hookeri</i> ( <i>Disporum hookeri</i> ) Fairy bells	Liliaceae	E		S2	G5
<i>Prosartes maculata</i> ( <i>Disporum maculatum</i> ) Nodding mandarin	Liliaceae	X		SX	G3G4
<i>Prosartes trachycarpa</i> ( <i>Disporum trachycarpum</i> ) Northern fairy bells	Liliaceae	T		S1	G5
<i>Proserpinaca pectinata</i> Mermaid-weed	Haloragaceae	E		S1	G5
<i>Prunus umbellata</i> Alleghany or Sloe plum	Rosaceae	SC		S3	G4G5
<i>Pseudoroegneria spicata</i> ( <i>Agropyron spicatum</i> , <i>Elytrigia spicata</i> ) Bluebunch wheatgrass	Poaceae	X		SX	G5
<i>Pterospora andromedea</i> Pine-drops	Monotropaceae	T		S2	G5
<i>Pycnanthemum muticum</i> Mountain mint	Lamiaceae	T		S1	G5
<i>Pycnanthemum pilosum</i> Hairy mountain mint	Lamiaceae	T		S2	G5T5
<i>Pycnanthemum verticillatum</i> Whorled mountain mint	Lamiaceae	SC		S2	G5
<i>Pyrola minor</i> Lesser Pyrola	Pyrolaceae	SC		SNR	G5
<i>Quercus shumardii</i> Shumard's oak	Fagaceae	SC		S2	G5
<i>Ranunculus ambigens</i> Spearwort	Ranunculaceae	T		SX	G4
<i>Ranunculus cymbalaria</i> Seaside crowfoot	Ranunculaceae	T		SX	G5

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Ranunculus macounii</i> Macoun's buttercup	Ranunculaceae	T		S1	G5
<i>Ranunculus rhomboideus</i> Prairie buttercup	Ranunculaceae	T		S2	G5
<i>Rhexia mariana</i> ( <i>Rhexia mariana</i> var. <i>mariana</i> ) Maryland meadow beauty	Melastomataceae	T		S1S2	G5T5
<i>Rhexia virginica</i> Meadow beauty	Melastomataceae	SC		S3	G5
<i>Rhynchospora macrostachya</i> Tall beakrush	Cyperaceae	SC		S3S4	G4
<i>Rhynchospora nitens</i> ( <i>Psilocarya nitens</i> ) Short-beak beak-rush	Cyperaceae	E		S1	G4?
<i>Rhynchospora recognita</i> ( <i>Rhynchospora globularis</i> ) Globe beak-rush	Cyperaceae	E		S1	G5?
<i>Rhynchospora scirpoides</i> ( <i>Psilocarya scirpoides</i> ) Bald-rush	Cyperaceae	SC		S2	G4
<i>Ribes oxycanthoides</i> Northern gooseberry	Grossulariaceae	SC		S3	G5
<i>Rorippa aquatica</i> ( <i>Armoracia lacustris</i> , <i>Armoracia aquatica</i> ) Lake cress	Brassicaceae	SC		S2	G4?
<i>Rubus acaulis</i> ( <i>Rubus arcticus</i> ssp. <i>acaulis</i> ) Dwarf raspberry	Rosaceae	E		S1	G5T5
<i>Rudbeckia subtomentosa</i> Sweet coneflower	Asteraceae	X		SX	G5
<i>Ruellia humilis</i> Hairy wild petunia	Acanthaceae	T		S1	G5
<i>Ruellia strepens</i> Smooth ruellia	Acanthaceae	E		S1	G4G5
<i>Rumex occidentalis</i> Western dock	Polygonaceae	E		S1	G5T5
<i>Ruppia cirrhosa</i> ( <i>Ruppia spiralis</i> ) Widgeon grass	Ruppiales	T		S1	G5
<i>Sabatia angularis</i> Rosepink	Gentianaceae	T		S2	G5
<i>Sagina nodosa</i> Pearlwort	Caryophyllaceae	T		S2	G5
<i>Sagittaria brevirostra</i> Short-beaked Arrowhead	Alismataceae	SC		SX	G5

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Sagittaria montevidensis</i> ( <i>Sagittaria calycina</i> , <i>Lophocarpus calycinus</i> ) Arrowhead	Alismataceae	T		S1S2	G4G5
<i>Salix pellita</i> Satinny willow	Salicaceae	SC		S2	G5
<i>Salix planifolia</i> Tea-leaved willow	Salicaceae	T		S1	G5
<i>Sanguisorba canadensis</i> Canadian burnet	Rosaceae	E		S1	G5
<i>Sarracenia purpurea f. heterophylla</i> Yellow pitcher plant	Sarraceniaceae	T		S1	G5T1T2Q
<i>Saxifraga paniculata</i> Encrusted saxifrage	Saxifragaceae	T		S1	G5
<i>Saxifraga tricuspidata</i> Prickly saxifrage	Saxifragaceae	T		S2	G5
<i>Schoenoplectiella hallii</i> ( <i>Scirpus hallii</i> , <i>Schoenoplectus hallii</i> ) Hall's bulrush	Cyperaceae	T		S2	G2G3
<i>Schoenoplectus americanus</i> ( <i>Scirpus olneyi</i> ) Three-square bulrush	Cyperaceae	E		S1	G5
<i>Schoenoplectus torreyi</i> ( <i>Scirpus torreyi</i> ) Torrey's bulrush	Cyperaceae	SC		S2S3	G5?
<i>Scirpus georgianus</i> Georgia bulrush	Cyperaceae	SC		SNR	G5
<i>Scleria pauciflora</i> Few-flowered nut rush	Cyperaceae	E		S1	G5
<i>Scleria reticularis</i> Netted nut rush	Cyperaceae	T		S2	G4
<i>Scleria triglomerata</i> Tall nut rush	Cyperaceae	SC		S3	G5
<i>Scutellaria elliptica</i> Hairy skullcap	Lamiaceae	SC		S3	G5
<i>Scutellaria incana</i> Skullcap	Lamiaceae	X		SX	G5
<i>Scutellaria nervosa</i> Skullcap	Lamiaceae	E		S1	G5
<i>Scutellaria ovata</i> Forest skullcap	Lamiaceae	T		S1	G5
<i>Scutellaria parvula</i> Small skullcap	Lamiaceae	T		S2	G4
<i>Silene nivea</i> Evening campion	Caryophyllaceae	T		SNR	G4?
<i>Silene stellata</i> Starry campion	Caryophyllaceae	T		S2	G5

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Silene virginica</i> Fire pink	Caryophyllaceae	E		S1	G5
<i>Silphium integrifolium</i> Rosinweed	Asteraceae	T		S2	G5
<i>Silphium laciniatum</i> Compass plant	Asteraceae	T		S1S2	G5
<i>Silphium perfoliatum</i> Cup plant	Asteraceae	T		S2	G5
<i>Sisyrinchium atlanticum</i> Atlantic blue-eyed-grass	Iridaceae	T		S2	G5
<i>Sisyrinchium fuscatum</i> ( <i>Sisyrinchium farwellii</i> ) Farwell's blue-eyed-grass	Iridaceae	X		SX	G5?
<i>Sisyrinchium hastile</i> ( <i>Sisyrinchium albidum</i> ) Blue-eyed-grass	Iridaceae	X		SNA	GUGHQ
<i>Sisyrinchium strictum</i> Blue-eyed-grass	Iridaceae	SC		S2	G3
<i>Smallanthus uvedalia</i> ( <i>Polymnia uvedalia</i> ) Yellow-flowered leafcup	Asteraceae	T		S1	G4G5
<i>Smilax herbacea</i> Smooth carrion-flower	Smilacaceae	SC		S3	G5
<i>Solidago bicolor</i> White goldenrod	Asteraceae	E		S1	G5
<i>Solidago houghtonii</i> Houghton's goldenrod	Asteraceae	T	LT	S3	G3
<i>Solidago missouriensis</i> Missouri goldenrod	Asteraceae	T		SX	G5
<i>Spinulum canadense</i> Clubmoss	Lycopodiaceae	SC		SNR	G5T4T5
<i>Spiranthes ovalis</i> Lesser ladies'-tresses	Orchidaceae	T		S1	G5?
<i>Sporobolus clandestinus</i> Dropseed	Poaceae	E		S1	G5
<i>Sporobolus heterolepis</i> Prairie dropseed	Poaceae	SC		S3	G5
<i>Stachys pilosa</i> Hairy hedge-nettle	Lamiaceae	SC		SNR	G5
<i>Stellaria crassifolia</i> Fleshy stitchwort	Caryophyllaceae	E		S1	G5
<i>Stellaria longipes</i> Stitchwort	Caryophyllaceae	SC		S2	G5
<i>Stenaria nigricans</i> ( <i>Hedyotis nigricans</i> ) Hedyotis	Rubiaceae	X		SX	G5
<i>Strophostyles helvula</i> Trailing wild Bean	Fabaceae	SC		S3	G5

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Subularia aquatica</i> Awlwort	Brassicaceae	E		S1	G5
<i>Symphyotrichum drummondii</i> ( <i>Aster drummondii</i> ) Drummond's aster	Asteraceae	T		S2	G5
<i>Symphyotrichum praealtum</i> ( <i>Aster praealtus</i> ) Willow aster	Asteraceae	SC		S3	G5
<i>Symphyotrichum sericeum</i> ( <i>Aster sericeus</i> ) Western silvery aster	Asteraceae	T		S2	G5
<i>Tanacetum huronense</i> ( <i>Tanacetum bipinnatum</i> ssp. <i>huronense</i> ) Lake Huron tansy	Asteraceae	SC		S3	G5T4T5
<i>Tephroseris palustris</i> ( <i>Senecio congestus</i> ) Marsh fleabane	Asteraceae	X		SX	G5
<i>Tetraneuris herbacea</i> ( <i>Hymenoxys herbacea</i> ) Lakeside daisy	Asteraceae	E	LT	S1	G3
<i>Thalictrum pubescens</i> Tall meadowrue	Ranunculaceae	SC		SNR	G5
<i>Thaspium chapmanii</i> Meadow-parsnip	Apiaceae	SC		SNR	GNR
<i>Tipularia discolor</i> Crane-fly orchid	Orchidaceae	E		S1	G4G5
<i>Tofieldia pusilla</i> False asphodel	Liliaceae	T		S2	G5
<i>Tradescantia bracteata</i> Long-bracted spiderwort	Commelinaceae	X		SX	G5
<i>Tradescantia virginiana</i> Virginia spiderwort	Commelinaceae	SC		S2	G5
<i>Trichophorum clintonii</i> ( <i>Scirpus clintonii</i> ) Clinton's bulrush	Cyperaceae	SC		S3	G4
<i>Trichostema brachiatum</i> ( <i>Isanthus brachiatus</i> ) False pennyroyal	Lamiaceae	T		S1	G5
<i>Trichostema dichotomum</i> Bastard pennyroyal	Lamiaceae	T		S2	G5
<i>Trillium nivale</i> Snow trillium	Liliaceae	T		S2	G4
<i>Trillium recurvatum</i> Prairie trillium	Liliaceae	SC		S2S3	G5
<i>Trillium sessile</i> Toadshade	Liliaceae	T		S2S3	G4G5
<i>Trillium undulatum</i> Painted trillium	Liliaceae	E		S1S2	G5

Species	Family	State Status	US Status	State Rank	Global Rank
<i>Triphora trianthophora</i> Nodding pogonia or three birds orchid	Orchidaceae	T		S1	G3G4
<i>Triplasis purpurea</i> Sand grass	Poaceae	SC		S2	G4G5
<i>Trisetum spicatum</i> Downy oat-grass	Poaceae	SC		S2S3	G5
<i>Utricularia inflata</i> ( <i>Utricularia radiata</i> ) Floating bladderwort	Lentibulariaceae	E		S1	G5
<i>Utricularia subulata</i> Bladderwort	Lentibulariaceae	T		S1	G5
<i>Vaccinium cespitosum</i> Dwarf bilberry	Ericaceae	T		S1S2	G5
<i>Vaccinium uliginosum</i> Alpine blueberry	Ericaceae	T		S2	G5
<i>Vaccinium vitis-idaea</i> Mountain cranberry	Ericaceae	E		S1	G5
<i>Valeriana edulis</i> var. <i>ciliata</i> ( <i>Valeriana ciliata</i> ) Edible valerian	Valerianaceae	T		S2	G5T3
<i>Valerianella chenopodiifolia</i> Goosefoot corn salad	Valerianaceae	T		S1	G4
<i>Valerianella umblicata</i> Corn salad	Valerianaceae	T		S2	G4G5
<i>Viburnum edule</i> Squashberry or mooseberry	Caprifoliaceae	T		S2S3	G5
<i>Viburnum prunifolium</i> Black haw	Caprifoliaceae	SC		S3	G5
<i>Viola epipsila</i> Northern marsh violet	Violaceae	E		SX	G4G5
<i>Viola novae-angliae</i> New England violet	Violaceae	T		S2	G4
<i>Viola pedatifida</i> Prairie birdfoot violet	Violaceae	T		S1	G5
<i>Vitis vulpina</i> Frost grape	Vitaceae	T		S1S2	G5
<i>Wisteria frutescens</i> Wisteria	Fabaceae	T		S1	G5
<i>Wolffia brasiliensis</i> ( <i>Wolffia punctata</i> , <i>Wolffia brasiliensis</i> ) Watermeal	Lemnaceae	T		S1	G5
<i>Woodsia alpina</i> Northern woodsia	Dryopteridaceae	E		S1	G4G5
<i>Woodsia obtusa</i> Blunt-lobed woodsia	Dryopteridaceae	T		S1S2	G5

<b>Species</b>	<b>Family</b>	<b>State Status</b>	<b>US Status</b>	<b>State Rank</b>	<b>Global Rank</b>
<i>Woodwardia areolata</i> Netted chain-fern	Blechnaceae	X		SX	G5
<i>Zizania aquatica</i> ( <i>Zizania aquatica</i> var. <i>aquatica</i> ) Wild rice	Poaceae	T		S2S3	G5
<i>Zizia aptera</i> Prairie golden alexanders	Apiaceae	T		S1S2	G5